

Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search PubMed for [] Go Clear

Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Text Version

Items 1-20 of 167

Page 1 of 9

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

1: Bockova J, Elias D, Cohen IR.

Related Articles, Li



Treatment of NOD diabetes with a novel peptide of the hsp60 molecule induces Th2-type antibodies.

J Autoimmun. 1997 Aug;10(4):323-9.

PMID: 9237795 [PubMed - indexed for MEDLINE]

2: Elias D, Cohen IR.

Related Articles, Li



The hsp60 peptide p277 arrests the autoimmune diabetes induced by the toxin streptozotocin.

Diabetes. 1996 Sep;45(9):1168-72.

PMID: 8772717 [PubMed - indexed for MEDLINE]

3: Birk OS, Elias D, Weiss AS, Rosen A, van-der Zee R, Walker MD, Cohen IR.

Related Articles, Li



NOD mouse diabetes: the ubiquitous mouse hsp60 is a beta-cell target antigen of autoimmune T cells.

J Autoimmun. 1996 Apr;9(2):159-66.

PMID: 8738959 [PubMed - indexed for MEDLINE]

4: Elias D, Meilin A, Ablamunits V, Birk OS, Carmi P, Konen-Waisman S, Cohen IR.

Related Articles, Li



Hsp60 peptide therapy of NOD mouse diabetes induces a Th2 cytokine burst and downregulates autoimmunity to various beta-cell antigens.

Diabetes. 1997 May;46(5):758-64.

PMID: 9133541 [PubMed - indexed for MEDLINE]

5: Abulafia-Lapid R, Elias D, Raz I, Keren-Zur Y, Atlan H, Cohen IR.

Related Articles, Li



T cell proliferative responses of type 1 diabetes patients and healthy individuals to human hsp60 and its peptides.

J Autoimmun. 1999 Mar;12(2):121-9.

PMID: 10047432 [PubMed - indexed for MEDLINE]

6: Feili-Hariri M, Frantz MO, Morel PA.

Related Articles, Li



Prevention of diabetes in the NOD mouse by a Th1 clone specific for a hsp60 peptide.

J Autoimmun. 2000 Mar;14(2):133-42.

PMID: 10677244 [PubMed - indexed for MEDLINE]

7: Elias D, Cohen IR.

Related Articles, Li



Peptide therapy for diabetes in NOD mice.


Lancet. 1994 Mar 19;343(8899):704-6.

PMID: 7907681 [PubMed - indexed for MEDLINE]

8: Quintana FJ, Rotem A, Carmi P, Cohen IR.


Related Articles, Li

Vaccination with empty plasmid DNA or CpG oligonucleotide inhibits diabetes in


 nonobese diabetic mice: modulation of spontaneous 60-kDa heat shock protein autoimmunity.

J Immunol. 2000 Dec 1;165(11):6148-55.

PMID: 11086048 [PubMed - indexed for MEDLINE]

 **9:** [Elias D, Tikochinski Y, Frankel G, Cohen IR.](#)

Related Articles, Li

 Regulation of NOD mouse autoimmune diabetes by T cells that recognize a TCR CDR3 peptide.

Int Immunol. 1999 Jun;11(6):957-66.

PMID: 10360970 [PubMed - indexed for MEDLINE]

 **10:** [Elias D, Cohen IR.](#)


Related Articles, Li



Treatment of autoimmune diabetes and insulinitis in NOD mice with heat shock protein peptide p277.

Diabetes. 1995 Sep;44(9):1132-8.

PMID: 7657040 [PubMed - indexed for MEDLINE]

 **11:** [Chaturvedi P, Agrawal B, Zechel M, Lee-Chan E, Singh B.](#)


Related Articles, Li



A self MHC class II beta-chain peptide prevents diabetes in nonobese diabetic mice.

J Immunol. 2000 Jun 15;164(12):6610-20.

PMID: 10843721 [PubMed - indexed for MEDLINE]

 **12:** [Cohen IR.](#)


Related Articles, Li



The Th1/Th2 dichotomy, hsp60 autoimmunity, and type I diabetes.

Clin Immunol Immunopathol. 1997 Aug;84(2):103-6. Review.

PMID: 9245539 [PubMed - indexed for MEDLINE]

 **13:** [Tian J, Atkinson MA, Clare-Salzler M, Herschenfeld A, Forsthuber T, Lehmann PV, Kaufman DL.](#)

Related Articles, Li



Nasal administration of glutamate decarboxylase (GAD65) peptides induces Th2 responses and prevents murine insulin-dependent diabetes.

J Exp Med. 1996 Apr 1;183(4):1561-7.

PMID: 8666914 [PubMed - indexed for MEDLINE]

 **14:** [Ablamunits V, Elias D, Reshef T, Cohen IR.](#)


Related Articles, Li



Islet T cells secreting IFN-gamma in NOD mouse diabetes: arrest by p277 peptide treatment.

J Autoimmun. 1998 Feb;11(1):73-81.

PMID: 9480725 [PubMed - indexed for MEDLINE]

 **15:** [Elias D, Marcus H, Reshef T, Ablamunits V, Cohen IR.](#)

Related Articles, Li



Induction of diabetes in standard mice by immunization with the p277 peptide of a 60-kDa heat shock protein.

Eur J Immunol. 1995 Oct;25(10):2851-7.

PMID: 7589082 [PubMed - indexed for MEDLINE]

 **16:** [Chen SL, Whiteley PJ, Freed DC, Rothbard JB, Peterson LB, Wicker LS.](#)


Related Articles, Li



Responses of NOD congenic mice to a glutamic acid decarboxylase-derived peptide.

J Autoimmun. 1994 Oct;7(5):635-41.

PMID: 7840855 [PubMed - indexed for MEDLINE]

 **17:** [Horvath L, Cervenak L, Oroszlan M, Prohaszka Z, Uray K, Hudecz F, Baranyi E, Madacsy L, Singh M, Romics L, Fust G, Panczel P.](#)

Related Articles, Li



Antibodies against different epitopes of heat-shock protein 60 in children with type 1 diabetes mellitus.

Immunol Lett. 2002 Mar 1;80(3):155-62.
PMID: 11803047 [PubMed - indexed for MEDLINE]

☐ 18: [van Halteren AG, Roep BO, Gregori S, Cooke A, van Eden W, Kraal G, Wauben MH.](#) [Related Articles](#), [Li](#)



Cross-reactive mycobacterial and self hsp60 epitope recognition in I-A(g7) expressing NOD, NOD-asp and Biozzi AB/H mice.
J Autoimmun. 2002 Mar;18(2):139-47.
PMID: 11908946 [PubMed - indexed for MEDLINE]

☐ 19: [Elliott JF, Qin HY, Bhatti S, Smith DK, Singh RK, Dillon T, Lauzon J, Singh B.](#) [Related Articles](#), [Li](#)



Immunization with the larger isoform of mouse glutamic acid decarboxylase (GAD67) prevents autoimmune diabetes in NOD mice.
Diabetes. 1994 Dec;43(12):1494-9.
PMID: 7525393 [PubMed - indexed for MEDLINE]

☐ 20: [van Halteren AG, Mosselman B, Roep BO, van Eden W, Cooke A, Kraal G, Wauben MH.](#) [Related Articles](#), [Li](#)



T cell reactivity to heat shock protein 60 in diabetes-susceptible and genetically protected nonobese diabetic mice is associated with a protective cytokine profile.
J Immunol. 2000 Nov 15;165(10):5544-51.
PMID: 11067908 [PubMed - indexed for MEDLINE]

Display

Summary

Show: 20

Sort

Send to

Text

Items 1-20 of 167

Page

1

of 9

Ne

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Mar 11 2004 06:



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search PubMed for [] Go Clear

Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Text Version

Items 21-40 of 167

Previous Page 2 of 9 Next

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 21: [Tisch R, Wang B, Serreze DV.](#)

[Related Articles, Li](#)



Induction of glutamic acid decarboxylase 65-specific Th2 cells and suppression of autoimmune diabetes at late stages of disease is epitope dependent.

J Immunol. 1999 Aug 1;163(3):1178-87.

PMID: 10415012 [PubMed - indexed for MEDLINE]

☐ 22: [Tikochinski Y, Elias D, Steeg C, Marcus H, Kantorowitz M, Reshef T, Ablamunits V, Cohen IR, Friedmann A.](#)

[Related Articles, Li](#)



A shared TCR CDR3 sequence in NOD mouse autoimmune diabetes.

Int Immunol. 1999 Jun;11(6):951-6.

PMID: 10360969 [PubMed - indexed for MEDLINE]

☐ 23: [Zechel MA, Elliott JF, Atkinson MA, Singh B.](#)

[Related Articles, Li](#)



Characterization of novel T-cell epitopes on 65 kDa and 67 kDa glutamic acid decarboxylase relevant in autoimmune responses in NOD mice.

J Autoimmun. 1998 Feb;11(1):83-95.

PMID: 9480726 [PubMed - indexed for MEDLINE]

☐ 24: [Sai P, Rivereau AS, Granier C, Haertle T, Martignat L.](#)

[Related Articles, Li](#)



Immunization of non-obese diabetic (NOD) mice with glutamic acid decarboxylase-derived peptide 524-543 reduces cyclophosphamide-accelerated diabetes.

Clin Exp Immunol. 1996 Aug;105(2):330-7.

PMID: 8706342 [PubMed - indexed for MEDLINE]

☐ 25: [Chen C, Lee WH, Yun P, Snow P, Liu CP.](#)

[Related Articles, Li](#)



Induction of autoantigen-specific Th2 and Tr1 regulatory T cells and modulation of autoimmune diabetes.

J Immunol. 2003 Jul 15;171(2):733-44.

PMID: 12847240 [PubMed - indexed for MEDLINE]

☐ 26: [Schloot NC, Daniel D, Norbury-Glaser M, Wegmann DR.](#)

[Related Articles, Li](#)



Peripheral T cell clones from NOD mice specific for GAD65 peptides: lack of islet responsiveness or diabetogenicity.

J Autoimmun. 1996 Jun;9(3):357-63.

PMID: 8816971 [PubMed - indexed for MEDLINE]

☐ 27: [Quintana FJ, Carmi P, Cohen IR.](#)

[Related Articles, Li](#)



DNA vaccination with heat shock protein 60 inhibits cyclophosphamide-accelerated diabetes.

J Immunol. 2002 Nov 15;169(10):6030-5.

PMID: 12421990 [PubMed - indexed for MEDLINE]

[Adler T, Akiyama H, Herder C, Kolb H, Burkart V.](#)

[Related Articles, Li](#)

28:



Heat shock protein 60 elicits abnormal response in macrophages of diabetes-prone non obese diabetic mice.

Biochem Biophys Res Commun. 2002 Jun 14;294(3):592-6.
PMID: 12056808 [PubMed - indexed for MEDLINE]

29: Kudva YC, Deng YJ, Govindarajan R, Abraham RS, Marietta EV, Notkins AL, David CS. Related Articles, Li



HLA-DQ8 transgenic and NOD mice recognize different epitopes within the cytoplasmic region of the tyrosine phosphatase-like molecule, IA-2.

Hum Immunol. 2001 Oct;62(10):1099-105.
PMID: 11600216 [PubMed - indexed for MEDLINE]

30: Wilson SS, White TC, DeLuca D. Related Articles, Li



Therapeutic alteration of insulin-dependent diabetes mellitus progression by T cell tolerance to glutamic acid decarboxylase 65 peptides in vitro and in vivo.

J Immunol. 2001 Jul 1;167(1):569-77.
PMID: 11418696 [PubMed - indexed for MEDLINE]

31: Brenden N, Rabbani H, Abedi-Valugerdi M. Related Articles, Li



Analysis of mercury-induced immune activation in nonobese diabetic (NOD) mice.

Clin Exp Immunol. 2001 Aug;125(2):202-10.
PMID: 11529910 [PubMed - indexed for MEDLINE]

32: Daniel D, Wegmann DR. Related Articles, Li



Protection of nonobese diabetic mice from diabetes by intranasal or subcutaneous administration of insulin peptide B-(9-23).

Proc Natl Acad Sci U S A. 1996 Jan 23;93(2):956-60.
PMID: 8570667 [PubMed - indexed for MEDLINE]

33: Ogino T, Sato K, Miyokawa N, Kimura S, Katagiri M. Related Articles, Li



Importance of GAD65 peptides and I-Ag7 in the development of insulinitis in nonobese diabetic mice.

Immunogenetics. 2000 Jun;51(7):538-45.
PMID: 10912505 [PubMed - indexed for MEDLINE]

34: Xu XJ, Gearon C, Stevens E, Vergani D, Baum H, Peakman M. Related Articles, Li



Spontaneous T-cell proliferation in the non-obese diabetic mouse to a peptide from the unique class II MHC molecule, I-Ag7, which is also protective against the development of autoimmune diabetes.

Diabetologia. 1999 May;42(5):560-5.
PMID: 10333048 [PubMed - indexed for MEDLINE]

35: Bieg S, Seissler J, Herberg L, Northemann W, Scherbaum WA. Related Articles, Li



GAD65 is recognized by T-cells, but not by antibodies from NOD-mice.

Autoimmunity. 1994;17(3):189-94.
PMID: 7948603 [PubMed - indexed for MEDLINE]

36: Birk OS, Douek DC, Elias D, Takacs K, Dewchand H, Gur SL, Walker MD, van der Zee R, Cohen IR, Altmann DM. Related Articles, Li



A role of Hsp60 in autoimmune diabetes: analysis in a transgenic model.

Proc Natl Acad Sci U S A. 1996 Feb 6;93(3):1032-7.
PMID: 8577709 [PubMed - indexed for MEDLINE]

Maron R, Melican NS, Weiner HL.

Related Articles, Li

☐ 37:



Regulatory Th2-type T cell lines against insulin and GAD peptides derived from orally and nasally-treated NOD mice suppress diabetes.

J Autoimmun. 1999 Jun;12(4):251-8.

PMID: 10330296 [PubMed - indexed for MEDLINE]

☐ 38:

Dunsavage MB, O'Leary CJ, Baumgart TD, Solvason N, Howard M, Lafferty K, Deshpande S, Reich EP. [Related Articles](#), [Li](#)



A conformationally-constrained MHC class II I-Ag7-derived peptide protects NOD mice from the development of diabetes.

J Autoimmun. 1999 Jun;12(4):233-42.

PMID: 10330294 [PubMed - indexed for MEDLINE]

☐ 39:

Funda DP, Hartoft-Nielsen ML, Kaas A, Buschard K. [Related Articles](#), [Li](#)



Effect of intrathymic administration of mycobacterial heat shock protein 65 and peptide p277 on the development of diabetes in NOD mice: caution required in vaccination studies.

APMIS. 1998 Oct;106(10):1009-16.

PMID: 9833705 [PubMed - indexed for MEDLINE]

☐ 40:

Yamane K, Yamamoto K, Yoshikawa Y, Sasazuki T. [Related Articles](#), [Li](#)



Effect of the expression of DR alpha E beta NOD molecule on the development of insulinitis and diabetes in the non-obese diabetic (NOD) mouse.

Clin Exp Immunol. 1996 Jan;103(1):141-8.

PMID: 8565273 [PubMed - indexed for MEDLINE]

Display Show: Sort

Items 21-40 of 167

Previous of 9 [Ne](#)

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Mar 11 2004 06: